



**MODEL NO. WVO-50
MARINE WORK VEST, TYPE V**

All flotation material is coated with vinyl which is tough, fire retardant, self-extinguishing, highly abrasive resistant and easily cleaned. This material is resistant to oil, gasoline and basic chemicals. Adjustable 1" black nylon webbing straps securely sewn with nylon thread, helping to prevent rot and mildew. Heavy-duty aluminum slides & acetal closures resist corrosion. Certified and tested by USCG. Marking and labeling is screen printed in water-resistant, vinyl ink.



WVO-50

Options: Stenciling, Reflective Tape, Whistle, Waterlight



WVO-100

**MODEL NO. WVO-100
MARINE WORK VEST, TYPE V**

The WVO-100 incorporates some features not available on other type V work vests. Zinc Diecast bronze plated hardware (versus plastic.) All straps molded into the flotation so that, much like a body harness, strain will be on straps and not flotation material.

Options: Stenciling, Reflective Tape, Whistle, Waterlight


**MODEL NO. 200
NEW LIGHTWEIGHT MATERIAL,
TYPE 1**

Designed with tough vinyl coating flotation remains buoyant even when punctured. The model 200 has the buoyancy of a type 1 but can be worn with the same versatility and comfort as a type V work vest. It incorporates 2 straps sewn into one unit within the flotation material. (U.S.C.G. type 1)

**MODEL NO. 262 & 266
TYPE 1**

Features tough vinyl coating in a stackable life jacket for adults (262) and children (266). Reversible for quick donning. Designed to keep unconscious wearer turned upward and tilted on back. (U.S.C.G. type 1)

Model: 200 266 WVO-100 262



Options: Stenciling, Reflective Tape, Whistle, Waterlight




LIFE RING BUOY

Model A301-30" - 160.050/109/0
U.S. Coast Guard Approved

- Unicellular closed cell foam construction
- Polyurethane coating for durability
- PVC pipe reinforced
- Black polyurethane rope for ultraviolet resistance and strength

Optional: Retroreflective tape, Stenciling,
SM-2 Waterlight, Lifeline or CFTL



LIFE RING BUOY ACCESSORIES

RING BUOY BRACKET



Model B-30

Constructed of aluminum, or hot dip galvanized steel, strong, easy to install on hand rail or bulkhead.

RING BUOY RELEASE MECHANISM


Model RBRM-1
RBRM-1A (W/Accessories)

- Quick release
- Man overboard light
- 15 minute orange colored smoke
- Meets USCG requirements 46 CFR 94-43-10(c) 33.40-5, 75.43-10, 108.515



RING BUOY BOX, FIBERGLASS


Model RBB-30 w/out window
Model RBB-30-W with window
Mount Kit available



CONTAINERIZED FAST THROW LINES



- What are the chances of the ring buoy on the right being thrown to the victim without the rope tangling?
- What are the chances if the victim does catch the ring that the U.V. degraded rope, that has been sitting in the sun for 2 to 3 years, will not break?
- Billy Pugh Co. containerized fast throw lines are safer and more cost effective than a simple coil of rope.
- Line will not tangle and flows out of PVC container much like a line throwing gun.
- Line will not rot or be degraded by U.V. (SUN) rays.
- When emergency does happen, be ready.



MODELS

- CFTL-1** (1/4" Poly Pro x 100')
- CFTL-2** (1/4" Poly Pro x 150')
- CFTL-3** (3/8" Poly Pro x 100')
- CFTL-4** (3/8" Poly Pro x 150')
- CFTL- Custom** can be made to order, specify diameter, type and length of rope.

LIFE FLOATS & ACCESSORIES



No float compares in quality to the BPC life float. "Our floats last as long as whatever they're sitting on".

After many years of service in the field, this float can be rebuilt to like new condition.

- Fiberglass Shell
- Urethane Inner Core
- Black Polypropylene Life & Pendant Lines
- Nylon Platform Netting & Becketts
- Weatherproof Platform
- Mildew, Rot & Sunlight Resistant
- Sealed Shell
- Long Lasting
- Maintenance Free



5 year warranty

LF-6


MODEL NO.	PERSON CAPACITY	LENGTH	WIDTH	SHELL DIAMETER	SHIPPING WEIGHT	APPROVAL NO.
LF-6	6	49 1/2	35 3/4	8 X 10	70lbs.	160.027/82/3
LF-12	12	72	44	8 1/2 X 11	110 lbs.	160.027/83/3
LF-15	15	90	48	9 1/2 X 11 1/2	175 lbs.	160.027/84/3
LF-25	25	108	60	11 1/2 X 11 1/2	235lbs.	160.027/85/2



LIFE FLOAT RELEASE BRACKET

This Life Float Release Bracket provides a means to protect life floats as well as a method of quick release. Manufactured from steel or aluminum pipe. Release handle is stainless steel.

LFRB-12 Also available LFRB-6, LFRB-15, LFRB-25



ROPE REELS (ALL ALUMINUM)

Model RR-150
(150' 5/8" P.P. Capacity)
Model RR-250
(250' 5/8" P.P. Capacity)

LIFE FLOAT LAUNCHER

This Life Float Launcher provides an easy, quick method for launching life floats.

Manufactured from aluminum or steel with stainless steel release handle and attachment hardware.



LFL-6
LFL-12
LFL-15

FLOAT FREE LINK

(NOT PICTURED)
Meets USCG CFR 160.073 Designed to break away in the event the structure sinks. Lines will break and floats will come to surface.

LIFE FLOAT PAINTER



Meets USCG Model LFP-150 (150' Nylon Line) Keep your painter lines out of the sun and free from fouling.



STOKES STEEL STRETCHER

Galvanized stokes stretcher is available with flotation collar to aid in water rescue. Other options include:


- pick-up bridle
- blanket
- straps.



S-1

BELL 206 LITTER

DESIGNED FOR BELL JET RANGER



Bell 206

- Aluminum pipe construction
- Lightweight
- Strong construction
- plastic impregnated fabric
- 3 Nylon body straps
- Versatile
- Convenient hand grips
- Storage bag & blanket

SPECIFICATIONS:

Weight,	11 lbs.
Overall Length,	6'3"
Width (head end)	16"
Width (foot end)	7"
Height	7"

**Bell 206 litter lays completely flat to provide better transport of neck and back injuries.

RESCUE RING

The BPC Rescue Ring is designed to close around victim when tension is applied to the lifting ring. This product is significantly superior to a regular ring buoy when rescuing weak or unconscious victims. The interior of the flotation ring is stainless steel cable reinforced. (30" diameter)



RR-30



SUPPLY BOAT AND CREW BOAT RESCUE NET

Rescue net designed after Billy Pugh Co. helicopter rescue net (used by U.S. Navy and most foreign government and public rescue operations). This net is davit launched and will partially submerge for easy pick-up of man overboard. Net is large enough to lay down in or put additional support person inside to aid unconscious or weak victim. Net is collapsible and light weight for easy storage.



MODEL NO. X-544

• 72" Wide, 60" High, 45" Deep



LH-77

BPC LIFTING HARNESS

This 77" "Horse collar" type harness includes all the quality features you would expect on a BPC rescue product. The interior is lined with a slip-reducing surface and the harness can be tightened from both sides for ease of donning.